

Declaration

The company **ELETTROMECCANICA DELTA S.p.A.**
with address Via Trieste, 132 - 31030 Arcade (TV) - ITALY
www.delta-elektrogas.com

declares that following product:

<i>Type</i>	<i>Description</i>	<i>Trade Mark</i>
CFK	Burner control unit	Elektrogas®

is manufactured by

company **CONTRIVE S.r.l.**
with address Via Enrico Fermi, 18- 24040 Suisio (BG)

and it originates from **QBK** device.

Signed for and on behalf of Elettromeccanica Delta S.p.A.:

Arcade, 18 June 2020



Diego Franceschini
Product Quality Manager



Roberto Granzotto
Technical Director



Number	18GR0738/00	Contract number	I 3130
Issue date	21-04-2018	Scope	(EU) 2016/426 (9 March 2016)
Due date	21-04-2028	Module	B (Type testing)
PIN	0063CS1560	Report number	161100560

EU TYPE EXAMINATION CERTIFICATE (GAR)

Kiwa hereby declares that the Automatic Burner Control Systems, type(s):

QBK

manufactured by **Contrive S.r.l
Suisio (BG), Italy**

meet(s) the essential requirements as described in the **Regulation (EU) 2016/426 relating to appliances burning gaseous fuels.**

The compliance is based on examination to EN 298:2012, EN 14459:2007.

The product(s) has/have been approved for all EU and EFTA countries.

A description of the specific types is given in the appendix to this certificate.

Luc Leroy, Kiwa



Number	18GR00738/00	Page	1 of 1
Issue date	21-04-2018	Scope	(EU) 2016/426 (9 March 2016)
Due date	21-04-2028	Module	B (Type testing)
PIN	0063CS1560	Report number	161100560

APPENDIX TO EU TYPE EXAMINATION CERTIFICATE (GAR)

Manufacturer: Contrive S.r.l.

Types:

Scope:

Application: Appliances burning gaseous and liquid fuels and permanent operation
Flame detection: Ionisation / UV
Applied technology: Complex electronics
Ambient temperature: -20 °C to +60 °C
Electrical supply: 115/230 Vac 50/60 Hz
Protection: With enclosure and IP 64
Installation environment: Pollution degree 1 or 2
Gas valve output: 250 Vac / max. 2 A / $\cos \varphi=0.7$

See the installation and operating instructions for all specifications and possible options available for the above listed type(s).

Approved safety relevant functions:

Automatic burner control system:	EN 298	Class C
Reset function:	EN 14459, Annex J	Class B

Remarks/special conditions:

None.